



Mr.Mickal[®]

苏州永安安全防护装备有限公司
Suzhou Safety Plus PPE Co.,LTD.

✉ E-Mail: mr.mickal@safetyplusppe.com

☎ 0086 136 2529 5444

🌐 website: www.safetyplusppe.com

📍 Room 214, Building 63#, Shuangwan Huayuan, Guoxiang,
Wuzhong District, Suzhou (215124), Jiangsu, China

Suzhou Safety Plus PPE Co.,LTD.
COMPANY PROFILE

We are exporter/manufacture company for various shoes,
we co-operated with customers OEM and ODM, all the shoe/boots
are safety and/or non-safety as below:

◎ Uppers: stitched uppers or processing with customer's material
and neoprene socks export;

◎ Safety shoe: PU/PU injection, PU/Rubber injection,
Phylon/Rubber cementing and snow boots.

◎ Rubber shoe/boots: Dielectric shoe/boots, Hiking shoe/boots,
Hunting boots. Fishing shoe, Garden shoe, over shoe/boots,
Neoprene form +R/B vulcanized shoe/boots and all rubber shoe/boots.

◎ PU/PVC boots: all PU injection boots, PVC boots.

◎ Shoe accessory: Mesh lining textile, lace, footbed, steel toe & plate,
composite toe & plate, reinforcement, eyelet hooks...

Safety shoe used for construction, Mining, Oil & Gas, Industrial & Heavy Industrial

Rubber shoe/boots are used for hiking, hunting, garden, kitchen and outdoor.





About PVC Boots

* **LIGHTWEIGHT:** The Chesapeake boots are made to be lightweight, up to 25% lighter than classic PVC boots.

* **WATERPROOF:** These boots feature an energy absorbing BAY-LOC outsole with channels to repel water making them 100% waterproof.

* **COMFORTABLE:** Our boots are made to be both comfortable and durable. The boots also feature replaceable economy cushion insoles and a PVC outsole. A great boot for everyday use.

APPLICATIONS: Our Chesapeake boots work well for heavy duty jobs including in orchards, vegetable fields, citrus groves, and agriculture. Please review our size charts in the image section to find the correct sizing.

* **PROTECTIVE FOOTWEAR:** we provide comfortable and protective footwear for workers across multiple industries

* EN ISO 20345-2022 certified, and can extension CE certification to you

* Steel toe and plate

* colour for your refence



Fireman boots

with ergonomic orthotic insole, exceeds 305,000 Flex Rating

*HEAVY DUTY LUG SOLE built abrasion, oil, chemical, heat, and slip resistant from chloroprene rubber, compatible with ice studs. Not just boots but vital firefighter tools

*FLAME RETARDANT structural fire fighting steel toe boots with midsole protection plate,

*CHEMICAL & ELECTRICAL RESISTANT - meets EN 13832-1:2006 chemical resistance and CSA Omega electric shock resistance to 18kV standards

*FELT LINING across vamp and leg for comfort and thermal insulation

REFLECTIVE FR boots for men and women with hi vis safety patch on side

*Certified with EN15090-2020

*size range: EU 40--47



About PU Injection Boots

- *DURABLE NEOTANE TECHNOLOGY makes these slip on work boots for men and women
- *40% more lightweight and flexible than PVC or rubber boots, with better thermal insulation
- *SRC CERTIFIED SLIP RESISTANCE will keep you on your feet, even maneuvering quickly on wet and greasy surfaces;
- *SLIP ON STEEL TOE BOOTS for men and women with safety toe and midsole to protect your feet from on-site hazards (S4); ASTM F2413-18 certified for impact and compression protection
- *FULLY WATERPROOF BOOTS for men and women with wet and dirty jobs who need boots that remain flexible even at low temperatures, with moisture-wicking footbeds to draw away sweat
- *THERMAL INSULATION on these mens and womens work boots keep your feet warm down to temperatures of -4°F / -20°C
- *Steel plate, Kevlar alternative
- *A variety of colors neopren linings for you choice.



R/B or R/B+ NEOPRENE BOOTS



- *Neoprene provides warmth and comfort in all weather conditions
- *Robust rubber for durability
- *High grip sole provide traction on all surfaces
- * Rear Pull tag for ease of getting boot on (optional)
- *Removal lug for simple boot removal
- *Reflective tap for visible

Technical Specifications:

- * Size range: EU 39-47
- *Outsole - 100% rubber
- *Upper- more than 60% rubber + 40% neoprene
- *Lining- 85% neoprene and 15% Polyester
- *A variety of colors neopren linings for you choice.



NEOPRENE DIPPED BOOTS

12" height, 100% Waterproof, Triple-dipped neoprene Fabric lining, Breathe-O-Prene insole, Hand-laid rubber Chevron outsole.

Electrical hazard rated outsole Ideal for workers in the farming or food processing industries, Servus 12" Neoprene Soft Toe Men's Work Boots will protect your feet from mud and moisture as well as chemicals, contaminants and acids. These rubber work boots are equipped with a self-cleaning Chevron outsole that squeezes out liquids and debris for increased slip resistance on slick surfaces.

Triple-dipped in neoprene, these men's work boots have a seamless design that's 100% waterproof and highly flexible, allowing you to bend and reach with ease. The soft, durable and breathable fabric lining wicks away moisture and keeps feet dry. A 12-inch high boot shaft protects your feet and ankles from unexpected spills and splashes.



12-Inch height Traction Overshoe
 Set-in heel securely positions your feet when climbing and descending ladder rungs
 28 Heavy-duty tungsten carbide traction studs won't break, rust or corrode
 Unique, patent-pending stud-lock construction keeps traction studs in place
 Heel kick for hands free removal

Lining waterproof
 The upper layer material 90% wool and 2 layers of 3mm wool felt (90% wool)
 Mid sole with 3 layers of felt with 70% wool
 Both upper & lining passed water proof and breathable test
 Out sole & Upper : cold resistant rubber



EVA BOOTS

- The upper is designed with a three-dimensional pattern, enhancing the grip of the sole.
- Anti-collision balanced rear design, fully molded, anti-collision, solidified, providing better protection for the ankle.
- The shoe body is made of eco-friendly EVA material, which has the properties of waterproof and oil resistance.



- The upper part is made of high-quality special EVA .
- The shoe body is made of eco-friendly EVA material, featuring waterproof and oil-resistant properties.
- The shoes provide comprehensive three-dimensional protection. The inner lining can be padded with cotton.
- The anti-collision balance rear pad is integrally formed, providing anti-collision and firm support. It offers better protection for the ankle and features a concave-convex design for convenient on and off.



- Made of comfortable and soft EVA material and feature a three-dimensional texture design, which enhances the grip of the shoes.
- Anti-crush toe cap design effectively protects the toes and guards against impacts beyond outdoor activities.
- Anti-collision balanced heel, one-piece molding, anti-collision, solid type, better ankle protection, concave and convex design for easy wearing and taking off.
- Comfortable and removable lining, providing warmth and insulation.
- The upper is made with high-quality EVA material, along with reflective strips and adjustable shoelaces. The shoe body is made of eco-friendly EVA

- The upper part is made of high-quality special PU and has adjustable shoelaces.
- The shoe body is made of eco-friendly EVA material, featuring waterproof and oil-resistant properties.
- The shoes provide comprehensive three-dimensional protection. The inner lining can be padded with cotton.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.



- The upper part is made of high-quality special PU and has adjustable shoelaces.
- The shoe body is made of eco-friendly EVA material, featuring waterproof and oil-resistant properties.
- The shoes provide comprehensive three-dimensional protection. The inner lining can be padded with cotton.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.



- The upper part is made of high-quality special PU and has adjustable shoelaces.
- The shoe body is made of eco-friendly EVA material, featuring waterproof and oil-resistant properties.
- The shoes provide comprehensive three-dimensional protection. The inner lining can be padded with cotton.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.

EVA BOOTS



- The shoe body is made of eco-friendly EVA material. It adopts advanced thin-wall technology, making the shoe body lightweight and thin. It has the properties of waterproof and oil resistance, providing comprehensive three-dimensional protection for the feet.

- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.

- The design with three-dimensional patterns enhances the shoe's grip and provides better slip resistance.

- The shoe body is made of eco-friendly EVA material. It adopts advanced thin-wall technology, making the shoe body lightweight and thin. It has the properties of waterproof and oil resistance, providing comprehensive three-dimensional protection for the feet.

- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.

- The design with three-dimensional patterns enhances the shoe's grip and provides better slip resistance.



- The upper part is made of high-quality special PU and has adjustable shoelaces.

- The shoe body is made of eco-friendly EVA material, featuring waterproof and oil-resistant properties.

- The shoes provide comprehensive three-dimensional protection. The inner lining can be padded with cotton.

- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.

About this item



- The shoe body is made of eco-friendly EVA material. It adopts advanced thin-wall technology, making the shoe body lightweight and thin. It has the properties of waterproof and oil resistance, providing comprehensive three-dimensional protection for the feet.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.
- The design with three-dimensional patterns enhances the shoe's grip and provides better slip resistance.

- Made of eco-friendly EVA material, which has the properties of waterproofing and oil resistance. The shoes provide comprehensive three-dimensional protection.
- Using a comfortable and soft for the sole, it fits perfectly and combines with a three-dimensional texture design, making the shoe sole have greater grip.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.



- The upper is designed with a three-dimensional pattern, enhancing the grip of the sole.
- Anti-collision balanced rear design, fully molded, anti-collision, solidified, providing better protection for the ankle.
- The shoe body is made of eco-friendly EVA material, which has the properties of waterproof and oil resistance.



- The shoe body is made of eco-friendly EVA material. It adopts advanced thin-wall technology, making the shoe body lightweight and thin. It has the properties of waterproof and oil resistance, providing comprehensive three-dimensional protection for the feet.
- Anti-collision balanced rear, fully formed, anti-collision, solidified, better protects the ankle, with concave and convex design for convenient putting on and taking off.
- The design with three-dimensional patterns enhances the shoe's grip and provides better slip resistance.



High end PVC BOOTS



Product features: anti-crushing, anti-penetration, water-resistant, acid and alkali resistant, inner fabric has antibacterial and deodorizing properties.



The product is resistant to oil, water, acid and alkali, and the lining is antibacterial and odor-resistant.



The product is anti-drop, waterproof, acid and alkali resistant, and the lining is antibacterial and deodorant.



The product is resistant to oil, water, acid and alkali, and the lining is antibacterial and odor-resistant.





Product features: anti-crushing, anti-penetration, water-resistant, acid and alkali resistant, inner fabric has antibacterial and deodorizing properties.



Product features: anti-crushing, anti-penetration, water-resistant, acid and alkali resistant, inner fabric has antibacterial and deodorizing properties.



The product is resistant to impact, puncture, water, acid and alkali, and the lining fabric is antibacterial and deodorizing.



The product is anti-crush, waterproof, resistant to acid and alkali, and the lining is antibacterial and deodorant.



Economic R/B BOOTS

Tripple layered sole for lasting comfort and cushioning.

Good traction and grip from smart sole print.

Breathable polyester and cotton linings for comfort.

Made different styles to maximize use, waterproof, light outdoor works, trails.

Material combination for all season weather





We are shoe manufacture and we also offer stitched upper base on your requests:

- * Customer-supply material for stitching process
- * Customer designates main material supplier for upper stitching process
- * We source all materil and offer you stiched upper
- * Patten: we can make samples base on your blue print desgin or customer give pattern



Knee Pad



- Large caps for more protective coverage
- Neoprene material with slide buckle fastener & hoop and loop fastener for rapid fit
- Foam and Gel padding
- One size fits most
- Designed to protect knees and damage to clothing while preventing abrasions to surfaces.
- Protects against nails, screws, glass and debris



- Large caps for more protective coverage
- Neoprene material with **slide buckle fastener** & hoop and loop fastener for rapid fit
- Foam and Gel padding
- One size fits most
- Designed to protect knees and damage to clothing while preventing abrasions to surfaces.
- Protects against nails, screws, glass and debris.



- Large caps for more protective coverage.
- Neoprene material with anti-slip straps with hook and loop fasteners.
- Foam and Gel padding
- One size fits most
- Designed to protect knees and damage to clothing while preventing abrasions to surfaces.
- Protects against nails, screws, glass and debris.



- Color can be changed as per the customer demand
- Thin profile allows the kneepad to be worn either over or under work pants
- Wrap around design hugs the knee for ease of mobility
- Soft durable neoprene for added comfort when wearing over skin
- Built with durable co-polyurethane protective padding
- One size fits most.

Knee Pad



- Large caps for more protective coverage.
- Neoprene material with anti-slip straps with hook and loop fasteners.
- Foam and Gel padding
- One size fits most
- Designed to protect knees and damage to clothing while preventing abrasions to surfaces.
- Protects against nails, screws, glass and debris.



- Comfortable EVA padding for extra protection
- Non-skid Cap with fabric covering (Khaki, green, camo)
- Slide buckle style fastening with adjustable straps for fit
- One size fits most



- EVA with elastic pads
- full new material



- Comfortable foam & gel padding for extra protection
- Non-skid Leather and fabric covering
- Slide buckle style fastening with adjustable straps for fit
- One size fits most

PU COATING

13G black polyester liner with black PU coating
En388 3121X

- (1) Liner is light and comfortable, suitable for long-term wear.
- (2) PU coatings offer good slip and abrasion resistance while offering excellent tactile sensitivity.
- (3) Suitable for light industrial assembly.



NITRILE COATING

13G polyester liner with green nitrile coating on palm
EN388 4121X

- (1) 13G polyester liner offers increased comfort, finger dexterity and breathability.
- (2) Ergonomic design minimizes hand fatigue and improves comfort.
- (3) Ultra-soft nitrile smooth coating offers super grip, high abrasion, softness and oil repellency.
- (4) Its high abrasion and washable features gain this glove a better and longer service life.



NITRILE COATING

15G nylon/spandex liner with black micro foam nitrile coating
EN388 4131X

- (1) 15G gray nylon/spandex liner offers better softness and breathability.
- (2) The advanced micro foam coating technology empowers the gloves with high abrasion, oil repellent, and super grip in dry, slightly wet and oily environments.
- (3) Ergonomic design minimizes hand fatigue and improves comfort for longer wear.
- (4) Elastic cuffs fit the wrists perfectly, not easy to fall off.



Model No. 03

PU COATING

13G polyester liner with black sandy nitrile coating
EN388 4121X

- (1) Double nitrile sandy finish palm coating offers high oil resistance and good grip in dry, wet and oily conditions.
- (2) 13G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue.
- (3) Black sandy nitrile surface offers excellent oil repellent and anti-slip performance.



Model No. 04

PU COATING

13G polyester liner with gray nitrile coating on palm
En388 4121X

- (1) 13G polyester liner offers increased comfort, finger dexterity and breathability.
- (2) Ergonomic design minimizes hand fatigue and improves comfort.
- (3) Ultra-soft nitrile smooth coating offers super grip, high abrasion, softness and oil repellency.
- (4) Its high abrasion and washable features gain this glove a better and longer service life.



Model No. 05

NITRILE COATING

13G polyester liner with black sandy nitrile coating
En388 4121X

- (1) Double nitrile sandy finish palm coating offers high oil resistance and good grip in dry, wet and oily conditions.
- (2) 13G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue.
- (3) Black sandy nitrile surface offers excellent oil repellent and anti-slip performance.



Model No. 06

LATEX COATING

10G polycotton liner with green latex coating
EN388 3142X

- (1) The knitted polyester cotton yarn woven glove core is durable and comfortable to the touch.
- (2) High abrasion resistant latex also provides excellent grip in wet and dry conditions.
- (3) The ergonomic design minimizes finger fatigue and increases comfort.
- (4) Natural rubber coating is used to achieve excellent overall mechanical properties, providing the highest level of protection and durability.



Model No. 07

LATEX COATING

13G polycotton liner with black latex coating
EN388 3142X

- (1) High wear-resistant latex is impregnated with stripes, which has a good protective effect on cutting, abrasion resistance and puncture, and provides super grip.
- (2) The artificial design of the glove core minimizes the fatigue of the fingers and makes it more comfortable to wear.
- (3) The unique fluorescent yellow liner design is easy to be detected in a low-light working environment to avoid hand injury.



Model No. 08

LATEX COATING

**15G polycotton liner with blue latex coating
En388 3142X**

- (1) The knitted polyester cotton yarn woven glove core is durable and comfortable to the touch.
- (2) High abrasion resistant latex also provides excellent grip in wet and dry conditions.
- (3) The ergonomic design minimizes finger fatigue and increases comfort.
- (4) Natural rubber coating is used to achieve excellent overall mechanical properties, providing the highest level of protection and durability.



Model No. 09

Latex scrub gloves

- (1) 13G nylon knitted glove core, elastic fit, more comfortable to wear.
- (2) Blue latex matte surface for superior grip and abrasion resistance.
- (3) The full-dip latex coating effectively isolates water.



Model No. 10

CUT PROTECTION

**13G grey cut-resistant liner with grey PU coating
EN388 4X43C**

- (1) 13G cut-resistant yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- (2) Ultra-thin and durable PU coating offers superior slip and abrasion resistance.
- (3) Excellent abrasion resistance makes gloves more durable.



Model No. 11

CUT PROTECTION

**13G cut-resistant liner with black nitrile foam sandy coating
EN388 4X42E**

- (1) 13G cut-resistant liner provides excellent protection against cut, abrasion and puncture.
- (2) The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- (3) Ergonomic design of liner reduces finger fatigue and offers more comfort.



Model No. 12

Model No. 13

CUT PROTECTION

**13G Hi-Vis Black HPPE liner with Gary latex coating
EN388 3X42B**

- (1) HPPE liner provides high cut resistance and increase hand protection.
- (2) High abrasion-resistant Smart Grip latex coating provides protection against cut, wear and puncture, and offers superior grip.
- (3) Ergonomic design minimizes hand fatigue and improves comfort.

Model No. 13



Model No. 12

Shockproof gloves

**13G polyester liner with black sandy nitrile coating
En388 4121X**

- TPE anti-collision and anti-smashing gloves Palm TPE dipping
- The non-slip texture enhances friction and provides a strong grip
- Effective anti-slip to improve work efficiency

Model No. 14



Shockproof gloves

**Anti collision and shock absorption gloves
En388 3131**

- TPE pads on the back of the palm
- Strengthen the protection of the back of the hand to effectively avoid and mitigate impacts
- Force to protect the hand from injury

Model No. 15



Shockproof gloves

**13G nylon+ 10G acrylic terry liner with triple coating
EN388 2232X EN511 X2X**

- (1) 13G nylon liner offers super fit and elastic, more comfortable to wear.
- (2) Heating terry acrylic velour liner is soft and fluffy and offers more warmth.
- (3) Blue sandy latex coating provides superior grip and abrasion resistance. Fully latex coating effectively isolates cold air and water, easily adapting to various low temperature and humid environments.
- (4) Original three-layer latex balanced coating with uniform coating and enhanced protection. Triple dipping treble protection

Model No. 16





Model No.01

American-style tearable reflective vest

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:7 high-visibility reflective bands with 1 ID card pocket and 2 pockets
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:3M 8906 5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.02

American style multi-pocket reflective vest

Material:100% polyester knitting or mesh 110gsm,light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:5 high-visibility reflective bands with 4 pockets
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471
Detection range: 300 meters



Model No.03

European style simple vest

Material:100% polyester 120gsm,light, breathable,comfortable and flexible.
Size:free size
Style:5 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range:420 meters



Model No.04

polyester-cotton reflective vest

Material:65% polyester,35% cotton 230gsm light, breathable,comfortable and flexible .
Size:free size or S-3XL
Style:5 high-visibility PVC reflective bands with 4 pockets
Color:black,navy blue,white or customizable colors
Closure:zipper
LOGO:accepted



Model No.05

American style creative reflective vest

Material: 160gsm textilene, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 5 high-visibility reflective bands with 1 pocket
Color: black, navy blue, orange
Closure: velcro
LOGO: accepted
Reflective tape: 5*2cm in width with CE standard EN ISO 20471
Detection range: 280 meters



Model No.06

European style simple vest

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: S-3XL
Style: 4 high-visibility reflective bands
Color: fluorescent yellow or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.07

European style simple vest

Material: 100% polyester 120gsm, light, breathable, comfortable and flexible.
Size: free size
Style: 5 high-visibility reflective bands
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.08

American reflective vest

Material: 100% polyester 120gsm, light, breathable, comfortable and flexible.
Size: free size
Style: 5 high-visibility reflective bands
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.09

American reflective vest

Material: 100% polyester 120gsm light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 5 high-visibility reflective bands with 4 pockets
Color: black, navy blue, white or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5*2cm in width with CE standard EN 20471
Detection range: 100 meters



Model No.10

American reflective vest

Material: 100% polyester 120gsm, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 2.5 high-visibility reflective bands
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5*2.5cm in width reflective tape
Detection range: 50 meters



Model No.11

American style multi-pocket reflective vest

Material: 100% polyester 120gsm, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 5 high-visibility reflective bands
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 7*5cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.12

American reflective vest

Material: 100% polyester 120gsm, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 7*5 high-visibility reflective bands
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.13

American style simple vest

Material:100% polyester 120gsm,light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:7*5 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range:420 meters



Model No.14

American style short-sleeved reflective vest

Material:100% polyester 120gsm,light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:7*5 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range:420 meters



Model No.15

American style simple vest

Material:100% polyester 110gsm mesh,light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:7*5 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range:420 meters



Model No.16

American reflective vest

Material:100% polyester 120gsm light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style: 7*5 high-visibility reflective bands with 4 pockets
Color:black,navy blue,white or customizable colors
Closure:zipper
LOGO:accepted
Reflective tape:7*5cm in width with CE standard EN 20471
Detection range: 420 meters



Model No.17

Japanese-style reflective vest

Material:100% polyester knitting or mesh 130gsm,light, breathable,comfortable and flexible.
Size:free size
Style:7 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:7.5cm in width pvc reflective tape
Detection range: 100 meters



Model No.18

Taiwan reflective vest

Material:100% polyester knitin120gsm-125gsm,light, breathable,comfortable and flexible.
Size:free size
Style:7 high-visibility reflective bands
Color:fluorescent yellow+black
LOGO:accepted
Reflective tape:5cm in width with CE stardand EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.19

Innovative reflective vest

Material:100% polyester 120gsm light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:10 high-visibility reflective bands
Color:fluorescent yellow/orange pink,or customizable colors
Closure:velcro
LOGO:accepted
Reflective tape:5cm in width with CE stardand EN ISO 20471
Detection range: 420 meters



Model No.20

American reflective vest

Material:100% polyester knitting 120gsm-125gsm,light, breathable,comfortable and flexible.
Size:free size
Style:7 high-visibility reflective bands
Color:fluorescent yellow+navy blue
LOGO:accepted
Reflective tape:5cm in width with CE stardand EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.21

American-style tearable reflective vest

Material:100% polyester 110gsm mesh,light, breathable,comfortable and flexible.
Size:free size
Style:same as the picture
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5.0cm in width
Detection range:420 meters



Model No.22

American style creative reflective vest

Material:100% polyester 80gsm mesh,light, breathable,comfortable and flexible.
Size:free size
Style:same as the picture
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5*2CM in width
Detection range: 50 meters



Model No.23

American style creative reflective vest

Material:100% polyester 80gsm mesh,light, breathable,comfortable and flexible.
Size:free size
Style:same as the picture
Color:black/fluorescent yellow/orange
LOGO:accepted
Reflective tape:5*2CM in width
Detection range: 50 meters



Model No.24

Simple reflective vest

Material:100% polyester knitting or mesh 120gsm,light, breathable,comfortable and flexible.
Size:free size
Style: 7 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm and 8cm in width pvc reflective tape
Detection range: 100 meters



Model No.25

Taiwan reflective vest

Material: 100% polyester 60gsm, light, breathable, comfortable and flexible.
Size: free size
Style: 8 high-visibility reflective bands
Color: green/fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5cm in width white PVC reflective tape
Detection range: 50 meters



Model No.26

South America simple reflective vest

Material: 100% polyester 60gsm mesh, light, breathable, comfortable and flexible.
Size: free size
Style: same as the picture
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5*2cm in width
Detection range: 100 meters



Model No.27

North American simple reflective vest

Material: 100% polyester 60gsm mesh, light, breathable, comfortable and flexible.
Size: free size
Style: same as the picture
Color: fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5.0cm in width PVC reflective tape
Detection range: 50 meters



Model No.28

Taiwan reflective vest

Material: 100% polyester 160gsm mesh, light, breathable, comfortable and flexible.
Size: free size
Style: same as the picture
Color: black/fluorescent yellow/orange
LOGO: accepted
Reflective tape: 5.0cm in width PVC reflective tape
Detection range: 50 meters



Model No.29

children's vest

Material:100% polyester 110gsm mesh light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands
Color:fluorescent yellow/orange pink,or customizable colors
Closure:velcro
LOGO:accepted
Reflective tape:5cm in width with CE stardand EN ISO 20471
Detection range: 420 meters



Model No.30

Taiwan reflective vest

Material:100% polyester 80gsm mesh,light, breathable,comfortable and flexible.
Size:free size
Style:same as the picture
Color:black/fluorescent yellow/orange
LOGO:accepted
Reflective tape:5*2cm in width reflective ribbon
Detection range:100 meters



Model No.31

Japanese-style reflective vest

Material:100% polyester mesh 110gsm,light, breathable,comfortable and flexible.
Size:free size
Style:7 high-visibility PVC reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width pvc reflective tape
Detection range: 100 meters



Model No.32

Taiwan reflective vest

Material:100% polyester knitting 160gsm,light, breathable,comfortable and flexible.
Size:free size
Style:5 high-visibility reflective bands
Color:navy blue / fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width PVC reflective tape
Detection range: 100 meters



Model No.33

Simple sports vest

Material:100% polyester mesh 110gsm,light, breathable,comfortable and flexible.
Size:free size
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:NONE



Model No.34

European style simple vest

Material:100% polyester knitting 120gsm,light, breathable,comfortable and flexible.
Size:free size
Style:4 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.35

Innovative reflective vest

Material:100% polyester knitting 120gsm,light, breathable,comfortable and flexible.
Size:free size
Style:6 high-visibility reflective bands with 1 pocket
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471 reflective tape
Detection range:420 meters



Model No.36

European style reflective vest for sports

Material:100% polyester knitting or mesh 110gsm,light, breathable,comfortable and flexible.
Size:free size
Style:9 high-visibility reflective bands
Color:fluorescent yellow/orange
LOGO:accepted
Reflective tape:2.0cm in width with CE standard EN ISO 20471 reflective tape
Detection range: 420 meters



Model No.37

European style reflective vest for sports

Material:65% polyester,35% cotton 230gsm,light, breathable,comfortable and flexible.
Size:free size or S-3XL
Color:light white
LOGO:accepted
Pocket: 6 pockets



Model No.38

South American multi-pocket reflective vest

Material:100% polyester 120gsm light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:8 high-visibility reflective bands with 4 pockets
Color:fluorescent yellow/orange pink,or customizable colors
Closure:zipper
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.39

Creative Patchwork Edition

Material:100% polyester 120gsm light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:5 high-visibility reflective bands with 6 pockets
Color:fluorescent yellow/orange pink,or customizable colors
Closure:zipper
LOGO:accepted
Reflective tape:5cm in width PVC reflective tape
Detection range: 100 meters



Model No.40

European style autumn and winter multi-pocket vest

Material:100% polyester 120gsm light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:4 high-visibility reflective bands with 6 pockets
Color:fluorescent yellow/orange pink,or customizable colors
Closure:zipper
LOGO:accepted
Reflective tape:5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.41

South American multi-pocket reflective vest

Material: 100% polyester 120gsm light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 7 high-visibility reflective bands with 4 pockets
Color: fluorescent yellow/orange pink, or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.42

South American multi-pocket reflective vest

Material: 100% polyester 120gsm light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 7 high-visibility reflective bands with 4 pockets
Color: fluorescent yellow/orange pink, or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.43

Best-selling reflective vest with splicing

Material: 100% polyester 120gsm light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 8 high-visibility reflective bands with 4 pockets
Color: fluorescent yellow/orange pink, or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.44

Popular splicing reflective vest

Material: 100% polyester 120gsm light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 8 high-visibility reflective bands with 4 pockets
Color: fluorescent yellow/orange pink, or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.45

American reflective vest

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 5 high-visibility reflective bands with 2 ID card pockets and 2 pockets
Color: fluorescent yellow or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.46

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: S-3XL
Style: 6 PVC high-visibility reflective bands with 1 ID card pocket and 2 pockets
Color: fluorescent yellow or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 5 cm
Detection range: 50 meters



Model No.47

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands with 1 ID card pocket
Color: fluorescent yellow or customizable colors
Closure: zipper
LOGO: accepted
Reflective tape: 7*5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.48

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands
Color: fluorescent yellow or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.49

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:2 high-visibility reflective bands
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.50

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 8 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.51

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 5 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width
Detection range:100 meters



Model No.52

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 4 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.53 **workplace sports promotion**

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:S-3XL
Style:8 high-visibility reflective bands with long sleeves
Color:fluorescent yellow or customizable colors
Closure:velcro
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.54 **workplace sports promotion**

Material: 160gsm,100% polyester, 360° visibility, light, breathable,comfortable and flexible.
Size: S-3XL
Style: 6 high-visibility reflective bands.
Color: fluorescent yellow or customizable colors
Closure:button closure
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.55 **workplace sports promotion**

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size
Style:8 PVC high-visibility reflective bands
Color:fluorescent orange or customizable colors
Closure:velcro
LOGO:accepted
Reflective tape:5 cm in width
Detection range:50 meters



Model No.56 **workplace sports promotion**

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 2 ID card pocket and 2 pockets
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.57

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 5 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width
Detection range:100 meters



Model No.58

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 2 ID card pocket and 2 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.59

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 5 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width
Detection range:100 meters



Model No.60

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:2 high-visibility reflective bands
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.61

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 2 high-visibility reflective bands
Color: fluorescent orange or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.62

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 2 high-visibility reflective bands
Color: fluorescent orange or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.63

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 2 high-visibility reflective bands
Color: fluorescent orange or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.64

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands
Color: fluorescent yellow or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.65

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:S-3XL
Style:6 high-visibility reflective bands with 1 ID card pocket and 7 pockets
Color:fluorescent orange or customizable colors
Closure:zipper
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.66

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with1 ID card pocket
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width
Detection range:50 meters



Model No.67

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:5 high-visibility reflective bands with 2 ID card pocket and 2 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.68

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:S-3XL
Style:6 high-visibility reflective bands with 2 ID card pocket
Color:fluorescent blue or customizable colors
Closure:velcro
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:150 meters



Model No.69

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:S-3XL
Style:6 high-visibility reflective bands with 1 ID card pocket
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.70

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:5 high-visibility reflective bands with 2 ID card pocket and 2 pockets
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:3M 8906 5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.71

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:6 high-visibility reflective bands with 2 ID card pocket and 2 pockets
Color:fluorescent yellow or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.72

workplace sports promotion

Material:100% polyester 360° visibility, light, breathable,comfortable and flexible.
Size:free size or S-3XL
Style:5 high-visibility reflective bands
Color:fluorescent orange or customizable colors
Closure:zipper or velcro are available
LOGO:accepted
Reflective tape:5 cm in width with CE standard EN ISO 20471
Detection range:420 meters



Model No.73

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands
Color: fluorescent yellow or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.74

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands with 2 ID card pocket
Color: fluorescent orange or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters



Model No.75

workplace sports promotion

Material: 100% polyester 360° visibility, light, breathable, comfortable and flexible.
Size: free size or S-3XL
Style: 6 high-visibility reflective bands with 2 ID card pocket
Color: fluorescent orange or customizable colors
Closure: zipper or velcro are available
LOGO: accepted
Reflective tape: 5 cm in width with CE standard EN ISO 20471
Detection range: 420 meters

MOUNTAINEERING HELMET/ SAFETY HELMET

Made out of PC/ABS material.

It have the performance of excellent high temperature resistance, low temperature resistance, flame retardant, impact resistance, electrical insulation .

This product is suitable for head safety protection in various places. And also suitable for mountaineering, sports, high-altitude work protection.

- Passed the +60°C high temperature test.
- Pass the -30°C low temperature test.
- Excellent high impact resistance and puncture resistance performance.
- Pass the mountaineering helmet standard, It have the front, rear, right and left impact resistance performance.
- Sweatband use the DuPont COOLMAX fiber mixed with silver ion bamboo charcoal polyester fiber. The drying speed of sweat absorption is 5 times that of pure cotton. It has the characteristics of absorbing odor, deodorizing sterilization, comfortable and breathable. At the same time convenient replacement, wash on the washing machine.



Adjust ratchet for EN397 and EN12492



NT01

Conform to the standard:

ANSI Z89.1—2014 Type I Class C

CE UK EN397:2012 +A1:2012 -30°C
CA EN12492:2012

AS/NZS 1801:1997

GB 2811-2019

Conform to the standard:

ANSI Z89.1—2014 Type I Class E, G & C

CE UK EN397:2012 -30°C
CA EN50365:2012

AS/NZS 1801:1997

GB 2811-2019



NT02

NT21 FULL BRIM SAFETY HELMET (TYPE II)

NT21 full brim safety helmet, the shell is made of PC/ABS material, built-in EPS and comfortable padding, sweatband is made of DuPont COOLMAX fiber and silver ion bamboo charcoal polyester fiber mixed material, with the characteristics of odor absorption, deodorization, sterilization, comfortable and breathable.

- The performance is tested by +60°C extreme high temperature force transmission.
- The performance is tested by -30°C extreme low temperature force transmission.
- The unvented model has passed 20000V voltage test and has excellent electrical insulation performance.
- It can be equipped with mining lamp, ear muffs and other accessories
- Sweatband use the DuPont COOLMAX fiber mixed with silver ion bamboo charcoal polyester fiber. The drying speed of sweat absorption is 5 times that of pure cotton. It has the characteristics of absorbing odor, deodorizing sterilization, comfortable and breathable. At the same time convenient replacement, wash on the washing machine.

Conform to the standard:

NT21-N ANSI/ISEA Z89.1-2014 TYPE II, Class E,HT,LT

NT21-V ANSI/ISEA Z89.1-2014 TYPE II, Class C,HT,LT




NT21-V



NT21-N

LAMP INFORMATION

H41R: USB Rechargeable Headlamp with sensor



* 5V 1A charger



Spot: 200 lm
Flood: 100 lm
Combo: 400 lm



ANSI FL1	
LED:	SAMSUNG
Mode:	Spot/Flood/All-on/Hidden Sensor
Output:	200/100/400lumens
Rumtime:	9H/17H/4H
Battery:	Lithium polymer 1500mAh
Size:	60*32*49mm
Weight:	88g (include the battery)

NT22 Safety Helmet (Type II)

NT22 safety helmet, the shell is made of PC/ABS material, built-in EPS and comfortable padding, sweatband is made of DuPont COOLMAX fiber and silver ion bamboo charcoal polyester fiber mixed material, with the characteristics of odor absorption, deodorization, sterilization, comfortable and breathable.

- The performance is tested by +60°C extreme high temperature force transmission.
- The performance is tested by -30°C extreme low temperature force transmission.
- The unvented model has passed 20000V voltage test and has excellent electrical insulation performance.
- It can be equipped with eye protection, mining lamp, ear muffs, mesh face shield and other accessories.



NT22—N

Conform to the standard:
ANSI/ISEA Z89.1-2014 TYPE II, Class E, HT, LT
CE UK EN397:2012 -30°C



NT22—5V

Conform to the standard:
ANSI/ISEA Z89.1-2014 TYPE II, Class C, HT, LT
CE UK EN12492:2012



NT22—3V

Conform to the standard:
ANSI/ISEA Z89.1-2014 TYPE II, Class C, HT, LT
CE UK EN397:2012 -30°C

NTA-E IMPACT RESISTANT EYE SHIELD

The polycarbonate impact resistant eye shield can work with NT22 series helmet to protect wearers head and eye safety.

ITEM	COLOR	SURFACE TREATMENT
NTA-E1	Transparent	Strengthening
NTA-E2	Dark brown	Strengthening

Conform to the standard:

ANSI/ISEA Z87. 1-2015
 CE EN 166 : 2002 1 F
 GB 14866-2006



NT22 Safety Helmet

NT22 safety helmet, the shell is made of PC/ABS material, built-in EPS and comfortable padding, sweatband is made of DuPont COOLMAX fiber and silver ion bamboo charcoal polyester fiber mixed material, with the characteristics of odor absorption, deodorization, sterilization, comfortable and breathable.

- The performance is tested by +60°C extreme high temperature force transmission.
- The performance is tested by -30°C extreme low temperature force transmission.
- The unvented model has passed 20000V voltage test and has excellent electrical insulation performance.
- It can be equipped with eye protection, mining lamp, ear muffs, mesh face shield and other accessories.



NT22-5V + Earmuff,
Mesh Face Shield

Conform to the standard:

ANSI/ISEA Z87. 1-2015
 CE EN 1731 : 2006F



NT22-5V + Earmuff

Conform to the standard:

ANSI S3.19-1974

NTN SAFETY HELMET WITH PHOSPHOR STRIP

- Safer in night work or places without enough light by using helmet with phosphor strip.
- More convenient in identifying different workers with different phosphor strip color
- 5 air hole at the top ends which can enhance the air circulation
- Excellent electrical insulation property through passing the voltage test of 20000V
- Good shock resistance and puncture resistance with passing extreme low temperature test of -30°C

Conform to the standard:

ANSI/ISEA Z89.1-2014 Type I Class E,G& C
GB 2811-2019



NTN

NTE FULL BRIM SAFETY HELMET

This helmet is made out of HDPE material, with ventilation on both sides, the air permeability is better. The brim is 40mm which is wider than normal style. It offers more protection to the wearers.

NTEs full brim safety helmet, made out of FRP material, can do more customized designs according customer's need.

Conform to the standard:

ANSI/ISEA Z89.1-2014 Type I Class E, G & C
CE EN 397: 2012 -30 °C



NTE

NTT SAFETY HELMET

Made out of ABS material, good shock resistant.
Ventilator at three sides, higher cooling efficiency.
New style suspension structure, more stability and comfort.
Unique cap shell design, enhanced lateral head protection.

Conform to the standard:

ANSI/ISEA Z89.1—2014 Type I Class C
GB 2811—2019



NTT



(Reflector)

NTS SAFETY HELMET

Made with ABS material.
Short brim design.
Strong and durable.
Can do customized decoration.

Conform to the standard:

ANSI/ISEAZ89.1—2014 Type I Class E, G & C
GB 2811—2019



NTS

NTB SAFETY HELMET

Translucent visor, Safety guaranteed. The safety helmet with translucent brim could provide you wider view. The low gradient translucent brim allows for more upward visibility and wide angle peripheral view in any direction. The see-through brim protects the wearer's eyes from UV (ultraviolet) sunrays.

Conform to the standard:

ANSI Z89.1: 2003 Type I Class G & C
GB 2811-2019



NTB - 1



NTB - 2

Our particular safety helmet "Hi-guard" is adopted hot runner and two-color injection technology. There are many different color combinations between the visor and the shell for your option. Colorful choices add distinction and help differentiate the wearers in the workplace.



NTC SAFETY HELMET

This new European-style safety helmet is made out of ABS material with novel design. Universal slots allow hearing, welding and visor accessories to be attached easily. It is available for both vented and unvented helmets options. Vented helmet has 5 cooling vents which provide the maximum air circulation for comfort.

NTC -1



Conform to the standard:

ANSI/ISEA Z89.1 – 2014 Type I Class E,G& C

CE UK EN 397: 2012 LD -30 °C
CA EN 50365: 2002



AS/NZS 1801: 1997
GB 2811 – 2019

Reflective helmet, which has special reflective design at the rear of helmet.

This helmet provides higher visibility and safety for wearer in the sunless places. It widely used in night working places, mining, highway construction and building industry etc.



Conform to the standard:

ANSI Z89.1 – 2014 Type I Class E,G& C

AS/NZS 1801: 1997

GB 2811 – 2019



NTC - 2

NTC SAFETY HELMET

Safety helmet with retractable eye shield.
PC visor has excellent light transmission, good UV protection, high impact resistance etc.

Conform to the standard:
ANSI Z87.1-2015




NTC – 3



NTC – 4

This European-style safety helmet is made out of durable ABS material. Universal slots allow hearing, welding and visor accessories to be attached easily.

It is available for both vented and unvented options. 6 cooling vents on the top provide the maximum air circulation for comfort.

Conform to the standard:
ANSI Z89.1 – 2014 Type I Class E,G& C
CE UK EN 397: 2012 LD -30 °C
CA EN 50365: 2002 
AS/NZS 1801: 1997
GB 2811 – 2019



NTC SAFETY HELMET

This safety helmet attached with retractable eye shield which was designed to provide good eye protection.

Conform to the standard:
ANSI Z87.1-2015



NTC – 5



Eps Inner Shell

NTC SAFETY HELMET (HDPE)

This safety helmet is made out of HDPE material, with 4-point suspension and simple construction, was tested and certified by Brasil L. A. Falcao Bauer, and comply with Brazil standard.

Conform to the standard:

ANSI Z89.1—2014 Type I Class E,G& C

CA 35983

GB 2811—2019



NTC-P

NTO SAFETY HELMET

HDPE safety helmet with more ventilation holes and large ventilated area can help with heat dissipation and moisture dissipation at the same time. It features a 6-point suspension system and a light weight design.



NTO

Conform to the standard:

ANSI/ISEA Z89.1—2014 Type I Class E, G & C
GB 2811—2019



NTK SAFETY HELMET

This Australian-style safety helmet is made out of better impact resistant ABS material. Ventilations on the top and at rear of helmet provide the maximum air circulation for comfort. Universal slots allow hearing, welding and visor accessories to be attached easily.



NTK

Conform to the standard:

AS/NZS 1801:1997
GB 2811—2019



NTU SAFETY HELMET

HDPE safety helmet with more ventilation holes and large ventilated area can help with heat dissipation and moisture dissipation at the same time. It features 4-point suspension system and a light weight design.

Conform to the standard:

ANSI Z89.1—2014 Type I Class C

CE EN 397: 2012 -30 °C

GB 2811—2019



NTU



NTP

NTP SAFETY HELMET

This safety helmet has rolled brim and earmuff slots. Made out of HDPE material, its "H" ribs on the top of shell and slots on the both sides help reinforce the impact resistance and lateral rigidity.

The rain trough design is suitable for outdoor work in rainy days.

Conform to the standard:

ANSI Z89.1:2003 Type I Class G & C

GB 2811—2019

NTH LOGGER HELMET

NTH with mesh faceshield provides excellent protection for head, face and hearing. It is widely used by operators in outdoor working.



NTH-1



NTH-2



NTH-3



NTH-4

Conform to the standard:
ANSI Z87.1—2015

NTF FACE SHIELD

This face shield fits safety helmets and bump caps. It is widely used in cutting, grinding, building, and mechanical industry. It is available for both 1mm and 1.5mm thickness.

Cap adapter is made out of high quality aluminum alloy, The surface has oxidation coating to provide hardness and toughness.

Conform to the standard:

ANSI Z87.1—2003
CSA Z94.3—07



NTF-1



NTF-2

FACE SHIELD FOR FURNACEMAN

This Face shield for furnaceman features by fireproof, light resistance, heat insulation. It is suitable for people working at high-temperature condition in metallurgical industry. Safety helmet is made of American high quality PC material. Its heat deflection temperature could be up to 150°C. The visor has thickness as 1.5 mm or 2 mm

Color: transparent or coffee translucent. The heat insulation shawl is made out of compounded aluminum foil cloth. Reflectivity of heat radiation: $\geq 90\%$. Resistance of heat radiation : 1000°C.

Conform to the standard:

ANSI Z87.1—2003
CSA Z94.3—07



NTF-3

NTR EARMUFF

The durable shell of earmuff is made out of high impact resistant ABS material. The extra soft ear cushions provide maximum seal, comfort and complete hearing protection. It is suited for wearing in the high noisy workplace.

Conform to the standard:
ANSI S3.19-1974



NTR-1



NTR-2



NTR-3

Conform to the standard:
ANSI S3. 19-1974

Certified by:



Attenuation values

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Measured attenuation (dB)	16.2	20.0	28.9	36.5	37.5	39.7	36.3	36.1	34.3
Standard Deviation (dB)	3.4	3.2	3.1	2.8	2.8	2.3	2.5	3.3	4.1

Tested according to ANSI S3.19-1974

NRR= 23 dB Headband force-1.5 lbs

Testing data above is provided by [Michael & Associates, Inc.](#)

LOCK STYLE OF SAFETY HELMET



Ratchet-type X
Clockwise closes assembly
Counterclockwise opens assembly



Ratchet-type K
Clockwise closes assembly
Counterclockwise opens assembly



Ratchet-type T
Pull out to adjust
Press to lock tight



Buckle-type M
Clockwise closes assembly
Counterclockwise opens assembly



Buckle-type Y
Press buckle to slide tail
Loosen buckle to tight



Pinlock-type Z
Separate nape straps to adjust
Unite nape straps to tight

CHIN STRAP TYPES



**Buckle locking
Type-I**



**Sliding locking
Type-II**



**Chin cover
Type-III**



**Snap-fastener
Type-IV**



Chin cover